


Ablaze Mirrors

Contractor Range Mirrors and Demister
Packages

Installation Guide

Installation Steps

The contractor mirror and the Thermomirror demister pad are supplied as two separate components and the demister pad needs to be adhered to the mirror prior to installation of the mirror.



Installation Steps

1. The contractor mirrors are supplied with wall plugs and screw in hooks however these are not suitable for all wall types. If this fixing is not suitable for the wall, alternate fixings will need to be obtained. The Thermomirror demister requires a mains supply and a switch or PIR sensor. Measure and mark out all the necessary items before you install the Thermomirror.
2. Drill two 6mm holes in the position of the metal wall brackets and insert the wall plugs provided. Insert and screw in the hooks with the hook end protruding from the wall. Drill a third larger (25mm) hole to allow for the wiring for the demister pad.
3. Ensure the mains power supply is switched off before attempting to carry out any electrical work. Wire up the lead in accordance with current electrical regulations and leave the female plug protruding from the 25mm hole.
4. Peel off the protective backing paper from the Thermomirror and adhere to the back of the mirror. The demister pad needs to be located inside of the bracket positions – it cannot cover the brackets or be cut. To avoid air bubbles whilst sticking the demister pad, peel off the protective paper a quarter of the way. Stick the first part down and ease the protective paper away whilst smoothing out the demister pad onto the mirror.
5. Connect the male and female plugs of the demister and ensure this is pushed in securely. Locate the '+' shaped opening over the protruding hook and gently lower the mirror until you can feel the screw take the weight of the mirror.

Warranty Information

Thermogroup covers all its products with a satisfaction guarantee. In addition, Thermogroup will supply a replacement product where a fault is shown to be caused by manufacture, materials or workmanship providing the goods have been installed correctly and according to installation instructions. This guarantee does not include removal, freight or installation costs. Thermogroup's products come with guarantees that cannot be excluded under Australian Consumer Law and you are entitled to a replacement or refund for a major failure & compensation for any other reasonable foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

The Contractor Mirrors have a 1 year warranty and the Thermomirror EZ demisters have a 5 year warranty. To use the warranty, repair of service the customer must provide purchase invoice/receipt.

If the product develops a fault within the warranty period due to normal wear and tear, Thermogroup at its discretion will recognise whether it's a faulty product or not. If it is impossible or not economical for the manufacturer to repair the product, the manufacturer will replace the faulty product with a new unit of the same model or if there is no stock available of the same model as the product, the manufacturer will replace the product with a new unit of a similar size. No responsibility can be taken for altered dimensions and lining up of existing holes.

The repair service offered within the warranty period only covers the faults and problems as developed from the manufacturer's errors. Any damage caused by improper use or carelessness or incorrect wiring is not covered.

Thermogroup is not responsible for any monetary loss or injuries caused by improper use of this product.

Care and Maintenance

For best results clean mirror with methylated spirits and water at a rate of 30% methylated spirits and 70% water. Do not use Windex or similar cleaning products. Avoid getting water on the sides or back of the mirror as damage to the silver backing can occur. In coastal areas it is recommended to wipe around the edge of the mirror regularly to avoid salt build up that can cause silver creep.

Contact Us

sales@thermogroup.com.au

www.thermogroup.com.au

1300 368 631

Thermogroup



That little bit extra...